

# moderna® lifestyle

# moderna® lifestyle plus

Technical data sheet · Issue: 03-2008

Product specifications		lifestyle	lifestyle plus
Dimension		1287 x 190 x 8 mm	1287 x 190 x 10 (8 + 2) mm
Content per package		9 pieces (= 2,201 m <sup>2</sup> )	7 pieces (= 1,712 m <sup>2</sup> )
Content per pallet		52 packages (= 114,45 m <sup>2</sup> )	52 packages (= 89,03 m <sup>2</sup> )
Weight per package		16 kg	14 kg
Weight per pallet(incl. pallet)		847 kg	743 kg
Warranty to wear resistance of the surface			
Domestic areas		25 years	25 years
Commercial areas		5 years	5 years
Usage / surface features	Standard		
Abrasion class	(EN 13329)	32	32
Wear	(EN 13329)	AC4 = IP ≥ 4000	AC4 = IP ≥ 4000
Impact resistant	(EN 13329)	IC 2	IC 2
Stain resistant	(EN 13329)	Group 1 + 2 = Grade 5 Group 3 = Grade 4	Group 1 + 2 = Grade 5 Group 3 = Grade 4
Light fastness	(EN ISO 105-B02) (EN 20105-A02)	Blue wool scale ≥ 6 Grey scale ≥ 4	Blue wool scale ≥ 6 Grey scale ≥ 4
Cigarette stain resistant	(EN 13329)	Grade 4	Grade 4
Lift resistant	(EN 13329)	≥ 1,0 N/mm <sup>2</sup>	≥ 1,0 N/mm <sup>2</sup>
Castor chair effect	(EN 13329)	no visible changing	no visible changing
Shifting a furniture base	(EN 13329)	no visible changing	no visible changing
Impression after constant load	(EN 13329)	no visible changing	no visible changing
Slip resistant	(EN 14041)	Class DS	Class DS
Swelling	(EN 13329)	≤ 8%	≤ 8%
Formaldehyde emission	(EN 717-1)	E1	E1
Physical attributes	Requirements		
Thermal resistant	(ISO 8302)	0,055 m <sup>2</sup> K/W	0,11 m <sup>2</sup> K/W
Reaction to fire	(EN 13501-1)	Cfl-s1	Cfl-s1
Anti-Static	(EN 14041)	n. s.	n. s.
Tolerances	Requirements		
Density of HDF core board	none	≥ 900 kg / m <sup>3</sup>	≥ 900 kg / m <sup>3</sup>
Squareness of the element	≤ 0,20 mm	≤ 0,20 mm	≤ 0,20 mm
Edge straightness	≤ 0,30 mm	≤ 0,30 mm	≤ 0,30 mm
Level height	average ≤ 0,10 mm maximum ≤ 0,15 mm	≤ 0,05 mm ≤ 0,15 mm	≤ 0,05 mm ≤ 0,15 mm
Joint change of decor	none	max. 4 mm	max. 4 mm
Block effect	none	min. 80 mm	min. 80 mm



Produced under license of UNILIN EN 14041